

CLOSURES THAT OPEN UP MANY POSSIBILITIES



About Us



Decap Closures is a well established organisation, that has earned reputation for quality and performance of its closures.

Adapting technology innovations and equipped with latest machines and testing equipments, the company offers a wide range of closures, conforming to international standards.

Decap Closures looks ahead into the future with confidence and dedicates itself to offer the very best to their growing number of customers world wide.





Fevical Supreme is a Remium Contain

Adhesive for bonding Laminates

Aluminium sheet to Hood / Plymont

Form, Leather, Rubber Reserve and Allected to exact pathet

SPECIAL FEATURES

· Hary Algot Asset resistant Rest setting - Seconds Stoly is all 5 minutes to two a strong board Benzene tree - Sale to call

Decap Press Fit Pull Out Type Spout Closures

- 1. Decap 32mm P.F
- 2. Decap 42mm P.F
- 3. Decap 57mm P.F

All above spout closures

- Funnel integrated pour spout closures for DIN type opening
- Double bail cap is easy to open & close.
- Tamper evident tear out diaphragm integrated.
- All spout closures are stackable.

Features:

- Standard for oil products (STD)
- Food grade for edible products(F G)
- 3. Irradiated & fluorinated for strong chemicals & solvents.(IRR)







Decap Crimp On Type Pull Out Spout Closures

Decap 42 C.O

Decap 42mm crimp on type 3 piece spout closures has all the benefits of pull out type spout closures and in addition it is equipped with food grade steel metal retainer to make the packaging as complete tamper & duplicate proof.

- 1. Tamper proof.
- 2. Extra empty feature.
- 3. Printable Top Cap. (Advertisement)
- 4. Automatic sealing of closure with can possible.

Features:

- 1. Standard for oil products (STD)
- Food grade for edible products(F G)
- 3. Irradiated & fluorinated for strong chemicals & solvents.(IRR)







Decap Crimp On Type Pull Out Spout Closures

Decap 63mm crimp on type pull out spout closures 4 piece.

This size of decap Plastic spout closure is available in various design & style.

1.Decap 63mm C.O STD:

It is standard type 63mm crimp on spout clesure suitable for metal pails, drum & Plastic Pails/ Buckets.

2.Decap 63mm C.O A.G.:

It has all facilities like standard type but has an added very important advantage of antigurgling feature due to which the air Inflow in the container is allowed resulting in continuous uninterrupted dispensing of container.

Above both type of decap 63mm crimp on type spout closures, comes with different type of top seals such as:

- A. Plastic easy tear top seal
- B. Plastic solid seal top seal
- C. (New) Alluminium foil printed in 4 color tamper proof top seal Introduced in the world for the first time by Decap Closures. Fully tamper proof and multicolored printable for esthetic looks.







Decap Rigid Screw Type Plastic Closures

Decap Rigid screw type plastic closures are available in various design and sizes.

Such as:

- A. Decap 32mm R.CL
- B. Decap 42 R.CL
- C. Dec ap 60mm R.CL

These Rigid type closures are suitable for metal cans, Pails etc which requires large opening for dispensing and ideal for viscous contents like paints, Adhesives etc. Screw fitting with conical base for small as well as large containers. Built in tamper evident tear out diaphragm.

All decap rigid screw type spout closures are available in

- A. Child resistance(C.L) Standard(STD)
- B. DIN as well as REL type opening
- C. Also available with Dauber as well as brush type attachments for viscous glue, cement etc type of products.

Features:

- 1. Standard for oil products (STD)
- Food grade for edible products(F G)
- Irradiated & fluorinated for strong chemicals & solvents.(IRR)









1. Decap 42mm C.O E.T

Decap 42mm easy tear spout closure. A special design for metal cans for Tamper Proof & the best asthetic looks.

- Easy tear for easy to use tamper proof seals.
- Manual as well as Auto crimping possible.
- Printed stickers for advertisements.
- 4. All benefits of pull out type spout closures.

Features:

- Standard for oil products (STD)
- Food grade for edible products(F G)
- 3. Irradiated & fluorinated for strong chemicals & solvents.(IRR)







Decap 35mm Junior High Profile Spout Closure

1. Decap 35 H.P

First time Introduced by **Decap Closures** 35mm Junior spout closure with high profile and tear seal integrated in the closure for Tamper proof and consumer friendly. High Profile is high funnel for dispensing & emptying where ever required without spillage, wastage.

Also tear seal Provided to avoid any unhygienic sharp tools for piercing the cap making it non edible product. So always use Decap food grade closure.

- 1. High Profile Funnel
- 2. Tear Seal Diaphragm.
- 3. Open & Close easy & unlimited times.
- 100% food grade.
- All other benefits are like pull out spout closures.

Features:

- Standard for oil products (STD)
- Food grade for edible products(F G)
- Irradiated & fluorinated for strong chemicals & solvents.(IRR)









Decap 79mm Ultrasonic Weldable Spout Closures.

Decap 79mm U. W. (P.E and P.P) (New From Decap)

Decap 79mm All Plastic Ultrasonic Weldable Antiguraling spout closures

New Design: Centralized Two Bail (Handle) lift pull out for better opening & closing.

Effective Welding of Closure directly to 'PE'and 'PP'- lids through welding ring

and 'PP'- lids through welding ring
Technology. Ultrasonic welding.

Lid aperture formation: Can be carried out via in-mold insert during injection or post-mold piercing the required orifice diameter: 61mm nominal.

Fast production of lids as no profile needed just a simple hole.
Completely leakage proof & tamper proof.
All plastic is 100% recyclable.
Double bail centralized pull out handles(New).

eatures:
vailable in 3 types (possible application)
Standard for oil products (STD)
Food grade for edible products(F G)
Irradiated & fluorinated for strong chemicals & solvents.(IRR)

- 1. Fast production of lids as no profile needed
- Completely leakage proof & tamper proof.
- 3. All plastic is 100% recyclable.
- Double bail centralized pull out handles(New).

Features:

- Standard for oil products (STD)
- Food grade for edible products(F G)
- Irradiated & fluorinated for strong







Other Different Type Of Closures

Press Fit type Spout Closure For Plastic Pails/ Buckets: Decap 14 P.F

This design is all plastic Spout Closure for Plastic pails just need to press in the Pail Lid. It locks & become Tamper Evidence, Antigurgling feature is added for better smooth Flow.

2. Polyvent Flip Top Type: Decap P.V 52
This Flip Top type Polyvent is for Plastic or
steel Pails/ Drums etc for venting Facility to
let Air inside the container to maintain the
dispensing the flow property.

3. Tint Plugs

Decap 50mm T.P(p)

For plastic Pails,

Decap 50mm T.P (s)

For steel Pails, drum

Decap 50mm P.O

Decap 50mm pull out spout closures for tint plug opening.

Can fit in opening of Tint Plug in plastic pails as well as steel pails. Two handle centralized pull out for better dispensing. Has all benefits of pull out spout closures.





Press fit spout closures for Plastic Pails/ Buckets. Polyvent Flip Top Type

Tint Plugs



Other Different Type Of Closures



Other Type of Closures

Type of Closur







Insert molding spout closures for plastic pails/ buckets




Pull out Spout closures for plastic jerry cans/ Bottles



3

PFA 32mm for Big Drums Steel/ Plastic Drums





Fully Auto Crimper Machine

This is Auto Nuematic Crimping Machine used to Crimp 63mm spouts on Plastic Pail/Bucket. This helps fast Crimping operation by single person on Plastic Pail Lids.



Auto sealing Machine

This is Auto Sealing Machine requires only Electric power supply. And can be Used for 42 Crimpon and 63mm Crimpon type Closures for both Plastic Pails & Metal Cans, Pails, Drums etc



Crimping & Sealing Tools

This tool is Manually handled for both 42 Crimpon & 63 Crimpon type Closures. Easy to handle and a single person can Crimp the Closures on Plastic Pails & Metal Cans, Pails, Drums etc.



This is Semi Automatic Nuematic Crimping tool used for both 42 Crimpon and 63 Crimpon type Closures. This tool requires minimum 4 bar air pressure to operate.







Moulding Plant

Tool Room







Storage Room

Mould

Design Room








Applications



Piercing Drawing in Metal Cans/ Pails/ Drums.



Ø	d,	d ₂	h
32	31.85 +0.1	40	1.75 +0.2
42	42.30 +0	71	2.2 +0.2
57	56.90 +0	71	2.4 +0.2

Ø	d,	d ₂	h
42	42 +0.2	46 +0.2	4.8 +0.2
63	59.5 +0.2	64.5 +0.2	5.30 +0.2

Ø	d,	d ₂	h
32	32.0 ^{±0.1}	35.2-0.1	3.5 +0.3
42	42.0 ^{±0.1}	45.3 -0.1	4.0 +0.3

Piercing Drawing in Plastic Pails/ Buckets.

63mm Crimp on type:

